


ਨੋਟਿਸ

ਹਰ ਆਮ ਤੇ ਖਾਸ ਨੂੰ ਸੂਚਿਤ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਕਿ ਜਿਲ੍ਹਾ ਕੰਟਰੋਲਰ, ਖੁਰਾਕ ਸਿਵਲ ਸਪਲਾਈਜ਼ ਅਤੇ ਖਪਤਕਾਰ ਮਾਮਲੇ, ਲੁਧਿਆਣਾ (ਈਸਟ) ਵੱਲੋਂ ਲੁਧਿਆਣਾ-ਮਾਲੇਰਕੋਟਲਾ-ਸੰਗਰੂਰ ਰੋਡ ਐਸ.ਐਚ-11 ਉਪਰ ਸੜਕ ਦੇ ਕਿਲੋਮੀਟਰ ਆਰ.ਡੀ -21900 ਵਿਚ ਖੱਬੇ ਪਾਸੇ ਪਿੰਡ ਗੋਪਾਲਪੁਰ ਵਿਖੇ ਪੈਟਰੋਲ ਪੰਪ ਲਗਾਉਣ ਲਈ ਮਹਿਕਮੇ ਤੋਂ ਐਨ.ਓ.ਸੀ ਮੰਗੀ ਗਈ ਹੈ। ਇਹ ਪਰਪੋਜ਼ਡ ਪੈਟਰੋਲ ਪੰਪ ਵਾਲੇ ਕਿਲੋਮੀਟਰ ਤੇ ਬਾਹਰੀ ਮੌੜ ਹੈ ਅਤੇ ਰੋਡ ਦੀ ਦੂਸਰੀ ਸਾਈਡ ਸਾਹਮਣੇ ਪੈਂਡੂ ਸੜਕ ਆਉਂਦੀ ਹੈ ਜੋ ਚੰਗ ਮਾਰਗੀ ਹੈ। ਜੇਕਰ ਕਿਸੇ ਨੂੰ ਇਸ ਪੈਟਰੋਲ ਪੰਪ ਦੇ ਲੱਗਣ ਤੇ ਇਤਰਾਜ਼ ਹੋਵੇ ਤਾਂ ਉਹ 45 ਦਿਨਾਂ ਦੇ ਅੰਦਰ ਅੰਦਰ ਉਪਰੋਕਤ ਪਤੇ ਤੇ ਲਿਖਤੀ ਇਤਰਾਜ਼ ਭੇਜ ਸਕਦਾ ਹੈ। ਇਤਰਾਜ਼ ਭੇਜਣ ਲਈ ਮਹਿਕਮੇ ਦੀ web-site [<http://www.pwdpunjab.gov.in>] ਤੇ Annexure-1 ਦੀ ਕਾਪੀ ਡਾਊਨਲੋਡ ਕਰਕੇ ਤੇ ਸਾਰੇ ਕਾਲਮ ਭਰਕੇ ਭੇਜਿਆ ਜਾਵੇ। ਇਸ ਤੋਂ ਬਾਅਦ ਕੋਈ ਇਤਰਾਜ਼ ਵਿਚਾਰਿਆ ਨਹੀਂ ਜਾਵੇਗਾ। ਇਸ ਤੋਂ ਬਾਅਦ ਜੋ ਵੀ ਸੋਧ ਹੋਵੇਗੀ ਉਹ ਮਹਿਕਮੇ ਦੀ ਵੈੱਬ ਸਾਈਟ ਤੇ ਦੇਖੀ ਜਾਵੇ।



ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ,
ਉਸਾਰੀ ਮੰਡਲ ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ,
ਭੁਵਨ ਤੇ ਮਾਰਗ ਸ਼ਾਖਾ, ਮਾਲੇਰਕੋਟਲਾ।

FORM

Form for inviting public comments on the application for relaxation in the guidelines/norms for access permission to fuel station on SH's/MDR's/ODR's/Village Link Roads in the State of Punjab.

The comments by the general public needs to be given within 45 days of uploading the case by the concerned Executive Engineer on the Department website (<http://www.pwdpunjab.gov.in>).

Sr. No.	Item	Details
1	Name of person who is desiring to give comments	
2	Address of the person	
3	Details of the application for access permission against which comments are being given (name of applicant and other details like site address etc.) a) Application No. b) Name of Application (who applied to access permission) c) Details of Application	No-objection Certificate for setting up retail outlet on LMS from Dehlon to Pohn on Ludhiana Malerkotta Sangrur SH-11 Dist. Ludhiana → Balwinder Singh vill Dolon Khurd, Post office- Lalton Kalan Dist. Ludhiana.
4	Whether the specific permission, if given, shall cause any damage to Highways? If yes, please give details.	
5	Whether specific permission, if given, shall adversely affect safety and convenience of the traffic on the Highways? If yes, please give the details.	
6	Whether specific permission, if given, shall adversely affect hygiene or cause nuisance and pollution on the Highways? If yes, please give the details.	


Executive Engineer,
Const. Divn. P.W.D. B&R
Malerkotta.

ਵੱਲੋਂ

ਜ਼ਿਲਾ ਕੰਟਰੋਲਰ
ਖੁਰਾਕ ਸਿਵਲ ਸਪਲਾਈਜ ਅਤੇ
ਖਪਤਕਾਰ ਮਾਮਲੇ, ਲੁਧਿਆਣਾ (ਈਸਟ)।


ਪ੍ਰਮਾਣਿਤ
ਲੇਖਕਾਰ
ਪ੍ਰਮਾਣਿਤਕਾਰ
ਸ਼੍ਰੀਮਤੀ ਮਨਜੋਤ ਕੌਰ

ਤਾਜਾ ਡਾਕ

ਕੀ: ਇੰਜੀ

ਵੱਲੋਂ

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਪ੍ਰਮਾਣਿਤਕਾਰ
ਲੋ.ਨਿ.ਵਿ., ਭ ਤੇ ਮ ਸ਼ਾਖਾ, ਮਲੇਰਕੋਟਲਾ।



ਮੀਮੋ ਨੰ: ਪੀ.ਪੀ.(ਈਸਟ)-2021/ 9800

ਮਿਤੀ 11/11/21

ਵਿਸ਼ਾ:

Issuance of No-objection Certificate for setting up Retail Outlet on LHS from Dehlon to Pohir on SH-11, District Ludhiana.

ਹਵਾਲਾ ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਪ੍ਰਾਂਤਕ ਮੰਡਲ, ਲੋ.ਨਿ.ਵਿ., ਭ ਤੇ ਮ ਸ਼ਾਖਾ, ਲੁਧਿਆਣਾ ਦੇ ਦਫਤਰ ਦਾ ਪੱਤਰ ਨੰ: 2811 ਮਿਤੀ 11.11.2021, ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਦੇ ਸਬੰਧ ਵਿੱਚ।

ਹਵਾਲੇ ਅਧੀਨ ਪੱਤਰ ਰਾਹੀਂ ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਪ੍ਰਾਂਤਕ ਮੰਡਲ, ਲੋ.ਨਿ.ਵਿ., ਭ ਤੇ ਮ ਸ਼ਾਖਾ, ਲੁਧਿਆਣਾ ਵੱਲੋਂ ਲਿਖਿਆ ਗਿਆ ਹੈ ਕਿ ਇਹ ਸੜਕ ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਉਸਾਰੀ ਮੰਡਲ, ਮਲੇਰਕੋਟਲਾ ਦੇ ਅਧਿਕਾਰ ਖੇਤਰ ਵਿੱਚ ਪੈਂਦੀ ਹੈ। ਇਸ ਲਈ ਆਪ ਨੂੰ ਇਸ ਪੱਤਰ ਰਾਹੀਂ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਮੌਕੇ ਤੇ ਜਾ ਕੇ 7(ਸੱਤ) ਦਿਨਾਂ ਦੇ ਅੰਦਰ-ਅੰਦਰ ਇਸ ਸਬੰਧੀ ਸਰਕਾਰੀ ਹਦਾਇਤਾਂ ਅਨੁਸਾਰ ਰਿਪੋਰਟ ਕਰਕੇ ਐਨ.ਓ.ਸੀ ਜਾਰੀ ਕਰਨ ਹਿੱਤ ਆਪਣੀ ਸਵੈ-ਸਪੱਸ਼ਟ ਰਿਪੋਰਟ/ਇਤਰਾਜ਼ਗੀਣਤਾ ਸਰਟੀਫਿਕੇਟ ਸਰਕਾਰ ਵੱਲੋਂ ਸਮੇਂ-ਸਮੇਂ ਸਿਰ ਜਾਰੀ ਹਦਾਇਤਾਂ/ਰੂਲਾਂ/ਬਾਈਲਾਜ਼ ਨੂੰ ਧਿਆਨ ਵਿੱਚ ਰੱਖਦੇ ਹੋਏ ਸਮੇਂ ਸਿਰ ਇਸ ਦਫਤਰ ਵਿੱਚ ਭੇਜਣ ਦੀ ਖੇਚਲ ਕੀਤੀ ਜਾਵੇ ਤਾਂ ਜੋ ਤੁਹਾਡੀ ਐਨ.ਓ.ਸੀ ਸਬੰਧੀ ਭੇਜੀ ਰਿਪੋਰਟ/ਇਤਰਾਜ਼ਗੀਣਤਾ ਸਰਟੀਫਿਕੇਟ ਅਨੁਸਾਰ ਕੇਸ ਸਮੇਂ ਸਿਰ ਮਾਨਯੋਗ ਜ਼ਿਲਾ ਮੈਜਿਸਟਰੇਟ, ਲੁਧਿਆਣਾ ਜੀ ਨੂੰ ਭੇਜਿਆ ਜਾ ਸਕੇ। ਇੱਥੇ ਇਹ ਵੀ ਸਪੱਸ਼ਟ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਆਪ ਵੱਲੋਂ ਜਾਰੀ ਐਨ.ਓ.ਸੀ ਸਬੰਧੀ ਰਿਪੋਰਟ/ਇਤਰਾਜ਼ਗੀਣਤਾ ਸਰਟੀਫਿਕੇਟ ਸਿੱਧੇ ਇਸ ਦਫਤਰ ਨੂੰ ਹੀ ਭੇਜੇ ਜਾਣ।

ਨੱਥੀ: ਉਕਤ ਅਨੁਸਾਰ।


ਜ਼ਿਲਾ ਕੰਟਰੋਲਰ
ਖੁਰਾਕ ਸਿਵਲ ਸਪਲਾਈਜ ਅਤੇ
ਖਪਤਕਾਰ ਮਾਮਲੇ, ਲੁਧਿਆਣਾ (ਈਸਟ)।

ਪਿੱਠ ਅੰਕਣ ਨੰ: ਪੀ.ਪੀ.(ਈਸਟ)-2021/

ਮਿਤੀ

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਮਾਨਯੋਗ ਜ਼ਿਲਾ ਮੈਜਿਸਟਰੇਟ, ਲੁਧਿਆਣਾ ਜੀ ਦੇ ਦਫਤਰ ਦੇ ਪੱਤਰ ਨੰ: 8171/ਐਮ.ਏ ਮਿਤੀ 13.09.2019 ਦੇ ਸਬੰਧ ਵਿੱਚ ਸੂਚਨਾ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ ਜੀ।

ਜ਼ਿਲਾ ਕੰਟਰੋਲਰ
ਖੁਰਾਕ ਸਿਵਲ ਸਪਲਾਈਜ ਅਤੇ
ਖਪਤਕਾਰ ਮਾਮਲੇ, ਲੁਧਿਆਣਾ (ਈਸਟ)।



मार्केटिंग डिविजन
Marketing Division

इंडियन ऑयल कॉर्पोरेशन लिमिटेड
एचडीएमड मण्डल कार्यालय
एस सी ओ 35-36, मध्य मार्ग, सेक्टर 7-सी
चण्डीगढ़ 160019

Indian Oil Corporation Limited
CHANDIGARH DIVISIONAL OFFICE
S C O 35 36, Madhya Marg, Sector 7-C,
Chandigarh 160019
Phone : 0172-2793603, 2794297, 2794305
Fax : 0172-2794305



Date: 11.03.2019

Page: 1 of 4

REF: M 2018 IN001534/PB/000091/1201/00029

Balwinder Singh
VILLAGE: DEHLON KHURD
DISTRICT: LUDHIANA

Dear Sir/Madam,

Subj: Proposed MS/HSD B Site Retail Outlet Dealership at Location: LHS FROM DEHLON TO POHIR ON SH-11 DISTRICT LUDHIANA, District: LUDHIANA State: Punjab Category: OPEN







We refer to our advertisement dated 25.11.2018 and your application form No. 15453810210462 for the award of MS/HSD Retail Outlet dealership at the above location and the subsequent Draw of Lots held at CHANDIGARH on 30.01.2019.

Please be informed that by this Letter of Intent, we propose to offer you a Retail Outlet dealership of Indian Oil Corporation Ltd. at the above location on the following terms & conditions:-

1. You have offered a suitable piece of land admeasuring 1225 Sq. Meter approx.: 35 Meter (frontage) X 35 Meter (depth) 25.5.26.1.L. Village: N.A. Taluka: N.A. District: LUDHIANA. Owned by you along with Sh. Kuldeep Singh as indicated in your application for the development of the subject Retail Outlet. You have to make available this land within 2 months from the date of this letter intimation which this offer is liable to be withdrawn.
2. In making the land available as required above, you will ensure that the land arranged by you is either registered in your name or it should be leased to you for a minimum period of 19 years & 11 months.
3. As and when advised by the Corporation, the site offered by you would be duly developed up to the road level by cutting (if applicable), with good earth-murrum, layer-wise compacted as per standard engineering practices. You shall also construct necessary retaining wall and compound wall of 1.5 meters height, designed as per site conditions as per approved by the Corporation as committed under Clause 12 (e) of affidavit submitted by you along with application. Kindly note that in the event the site as offered by you for putting up the Retail Outlet is not developed as per the advice of the Corporation, this Letter of Intent will be withdrawn without any further notice.
4. You will provide at the retail outlet infrastructural facilities like Permanent Sales Building (Including Public Toilet, Urinal, Wash Room, Office Room, Store, Lube display, Paved RCC Driveway, Buffer Strip/Approaches as per norms, Yard Lighting, Fire Connection, Borewell, Compressor with Mechanical/Electronic Air Gauge, Generator/Inverter as mentioned in the Brochure) after obtaining necessary clearances/approvals / licenses as applicable in each case. Indian Oil Corporation Ltd. will provide storage tanks and pumps and other facilities considered necessary at the Retail Outlets.

In addition, you will also provide the following basic facilities at your cost at the Retail Outlet premises:-

- a. Clean drinking water
- b. Free Air
- c. Clean toilet
- d. Telephone
- e. First aid kit with valid medicines.
- f. Security illumination



Capacity	Product	Quantity (No.)	Length	Type of Wall	Notes
1000	ALUMI	1	2.00M	As per Table	1
1000	ALUMI	1	2.00M	As per Table	1
1000	ALUMI	1	2.00M	As per Table	1

Capacity	Product	Quantity (No.)	Length	Type of Wall	Notes
1000	ALUMI	1	2.00M	As per Table	1
1000	ALUMI	1	2.00M	As per Table	1
1000	ALUMI	1	2.00M	As per Table	1


Capacity	Product	Quantity (No.)	Length	Type of Wall	Notes
1000	ALUMI	1	2.00M	As per Table	1
1000	ALUMI	1	2.00M	As per Table	1
1000	ALUMI	1	2.00M	As per Table	1

Capacity	Product	Quantity (No.)	Length	Type of Wall	Notes
1000	ALUMI	1	2.00M	As per Table	1
1000	ALUMI	1	2.00M	As per Table	1
1000	ALUMI	1	2.00M	As per Table	1

Capacity	Product	Quantity (No.)	Length	Type of Wall	Notes
1000	ALUMI	1	2.00M	As per Table	1
1000	ALUMI	1	2.00M	As per Table	1
1000	ALUMI	1	2.00M	As per Table	1

Capacity	Product	Quantity (No.)	Length	Type of Wall	Notes
1000	ALUMI	1	2.00M	As per Table	1
1000	ALUMI	1	2.00M	As per Table	1
1000	ALUMI	1	2.00M	As per Table	1

Capacity	Product	Quantity (No.)	Length	Type of Wall	Notes
1000	ALUMI	1	2.00M	As per Table	1
1000	ALUMI	1	2.00M	As per Table	1
1000	ALUMI	1	2.00M	As per Table	1



Scanned with CamScanner