

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਬਿਜਲੀ)-ਕਮ-(ਹੈ.ਕੁ.-1/2)-ਕਨਵੀਨਰ, ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ: ਤੇ ਮ: ਸ਼ਾਖਾ, ਬਲਾਕ-ਸੀ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ

ਈ-ਮੇਲ: cepwdcsr@gmail.com

ਵੱਲ

ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ
ਇੰਜੀਨੀਅਰਜ਼ ਦੀ ਮਿਤੀ 09.12.2025 ਨੂੰ ਹੋਈ
ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ।

1	ਇੰਜੀਨੀਅਰ-ਇੰਨ-ਚੀਫ-ਕਮ- ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਕੁਆਲਟੀ ਕੰਟਰੋਲ ਪੰਜਾਬ, ਲੋ.ਨਿ.ਵਿ., ਭ: ਤੇ ਮ: ਸ਼ਾਖਾ, ਮੋਹਾਲੀ, (ਵਿਸ਼ੇਸ ਮਹਿਮਾਨ)	2	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਕੈਨਾਲ), ਪੰਜਾਬ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਹਾਈਡਲ ਭਵਨ, ਸੈਕਟਰ-18, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)
3	ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਪੰਜਾਬ, ਵਾਟਰ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਵਿਭਾਗ, ਮੋਹਾਲੀ (ਮੈਂਬਰ)	4	ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਲੋਕਲ ਬਾਡੀਜ਼, ਪੰਜਾਬ, ਪਲਾਟ ਨੰ: 3, ਸੈਕਟਰ 35-ਏ, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)
5	ਇੰਜੀਨੀਅਰ-ਇੰਨ-ਚੀਫ, ਪੰਜਾਬ ਵਾਟਰ ਸਪਲਾਈ ਅਤੇ ਸਿਵਰੇਜ ਬੋਰਡ, ਸੈਕਟਰ-27 ਏ ਪਲਾਟ ਨੰ: 1 ਬੀ. ਮਾਧਿਆ ਮਾਰਗ ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)	6	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਪੰਚਾਇਤੀ ਰਾਜ), ਪੰਜਾਬ ਪੇਂਡੂ ਵਿਕਾਸ ਅਤੇ ਪੰਚਾਇਤਾਂ ਵਿਭਾਗ, ਫੇਜ਼-9, ਮੋਹਾਲੀ, (ਮੈਂਬਰ)
7	ਮੁੱਖ ਆਰਕੀਟੈਕਟ, ਆਰਕੀਟੈਕਚਰ ਵਿਭਾਗ, ਐਸ.ਸੀ.ਓ ਨੰ:149- 52 ਪਹਿਲੀ ਤੇ ਚੌਥੀ ਮੰਜ਼ਿਲ, ਪੰਜਾਬ ਮੰਡੀ ਬੋਰਡ ਪੁਰਾਣੀ ਬਿਲਡਿੰਗ ਸੈਕਟਰ-17 ਸੀ, ਚੰਡੀਗੜ੍ਹ। (ਮੈਂਬਰ)	8	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਬਿਜਲੀ), ਪੰਜਾਬ, ਲੋ.ਨਿ.ਵਿ., ਭ: ਤੇ ਮ: ਸ਼ਾਖਾ, ਨਿਰਮਾਣ ਭਵਨ, ਸੈਕਟਰ-17, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)
9	ਇੰਜੀਨੀਅਰ-ਇੰਨ-ਚੀਫ, ਪੰਜਾਬ ਮੰਡੀ ਬੋਰਡ, ਪੰਜਾਬ ਮੰਡੀ ਭਵਨ, ਸੈਕਟਰ-65 ਏ ਮੋਹਾਲੀ (ਵਿਸ਼ੇਸ ਮਹਿਮਾਨ)	10	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਡਰੇਨੇਜ), ਪੰਜਾਬ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਸਿੰਚਾਈ ਭਵਨ, ਸੈਕਟਰ-18, ਚੰਡੀਗੜ੍ਹ (ਵਿਸ਼ੇਸ ਮਹਿਮਾਨ)
11	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਸਾਊਥ), ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ. ਤੇ ਮ., ਬਲਾਕ-ਸੀ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ (ਵਿਸ਼ੇਸ ਮਹਿਮਾਨ)	12	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਨਾਰਥ), ਪੰਜਾਬ, ਲੋ.ਨਿ.ਵਿ., ਭ. ਤੇ ਮ., ਬਲਾਕ-ਸੀ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ (ਵਿਸ਼ੇਸ ਮਹਿਮਾਨ)
13	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਐਨ.ਐਚ.) ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ. ਤੇ ਮ., ਬਲਾਕ-ਸੀ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ (ਵਿਸ਼ੇਸ ਮਹਿਮਾਨ)	14	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਸੈਂਟਰਲ), ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ. ਤੇ ਮ., ਬਲਾਕ-ਸੀ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ (ਵਿਸ਼ੇਸ ਮਹਿਮਾਨ)

15	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਵੈਸਟ), ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ. ਤੇ ਮ., ਬਲਾਕ-ਸੀ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ (ਵਿਸ਼ੇਸ਼ ਮਹਿਮਾਨ)	
----	---	--

ਮੀਮੇ ਨੰ: 319-333 / ਸੀ.ਐਸ.ਆਰ.

ਮਿਤੀ: 10-12-2025

ਵਿਸ਼ਾ:- ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ਼ ਦੀ ਮਿਤੀ 09.12.2025 ਨੂੰ VC ਰਾਹੀਂ ਹੋਈ ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ।

ਹਵਾਲਾ: ਇਸ ਦਫਤਰ ਦਾ ਮੀਮੇ ਨੰ. 300-318 / ਸੀ.ਐਸ.ਆਰ. ਮਿਤੀ 04.12.2025 ਦੀ ਲਗਾਤਾਰਤਾ ਵਿੱਚ।

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਦੇ ਸਬੰਧ ਵਿੱਚ ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ਼ ਦੀ ਮਿਤੀ 09.12.2025 (ਦਿਨ ਮੰਗਲਵਾਰ) ਨੂੰ 11:00 ਵਜੇ ਵੀਡੀਓ ਕਾਨਫਰੈਂਸ (VC) ਰਾਹੀਂ ਹੋਈ ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ ਨੱਥੀ ਕਰਕੇ ਸੂਚਨਾ ਅਤੇ ਅਗਲੇਰੀ ਕਾਰਵਾਈ ਹਿੱਤ ਭੇਜੇ ਜਾਂਦੇ ਹਨ।

ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ਼ ਵੱਲੋਂ ਪ੍ਰਵਾਨ ਕੀਤੀ ਗਈ ਏ. ਐਂਡ ਸੀ. ਸਲਿੱਪ ਨੰ: 12, ਸੀ.ਐਸ.ਆਰ.-2020, ਸੀਲਿੰਗ ਪ੍ਰੀਮਿਅਮ ਅਤੇ ਅਨੈਕਚਰ ਇਸ ਪੱਤਰ ਦੇ ਜਾਰੀ ਹੋਣ ਦੀ ਮਿਤੀ ਤੋਂ ਲਾਗੂ ਹੋਵੇਗਾ। ਇਸ ਦੇ ਨਾਲ ਸਬੰਧਤ ਡਾਟਾ ਇਸ ਵਿਭਾਗ ਦੀ ਵੈਬਸਾਈਟ www.pwdpunjab.gov.in & www.prbdb.gov.in ਤੇ ਪਾਇਆ ਜਾ ਰਿਹਾ ਹੈ।

ਨੱਥੀ/ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ,
ਏ. ਐਂਡ ਸੀ. ਸਲਿੱਪ ਨੰ: 12,
ਅਨੈਕਚਰ-A & B

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਚੈ.ਕੁ.-1/2) ਕਮ-ਕਨਵੀਨਰ,
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ, ਪਟਿਆਲਾ।

ਪਿੱਠ ਅੰਕਣ ਨੰ: 334 /ਸੀ.ਐਸ.ਆਰ.

ਮਿਤੀ: 10-12-2025

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਪੀ.ਏ. ਟੂ ਸਕੱਤਰ, ਪੰਜਾਬ ਸਰਕਾਰ, ਲੋ:ਨਿ:ਵਿ:, ਭ: ਤੇ ਮ: ਸ਼ਾਖਾ, ਚੰਡੀਗੜ੍ਹ ਨੂੰ ਸੂਚਨਾ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ।

ਨੱਥੀ/ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ,
ਏ. ਐਂਡ ਸੀ. ਸਲਿੱਪ ਨੰ: 12,
ਅਨੈਕਚਰ-A & B

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ(ਸੀ.ਐਸ.ਆਰ.)
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਚੈ.ਕੁ.-1/2) ਕਮ-ਕਨਵੀਨਰ
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ, ਪਟਿਆਲਾ

ਪਿੱਠ ਅੰਕਣ ਨੰ: 335 / ਸੀ.ਐਸ.ਆਰ.

ਮਿਤੀ: 10-12-2025

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਤਕਨੀਕੀ ਸਲਾਹਕਾਰ ਟੂ ਪੰਜਾਬ ਸਰਕਾਰ, ਐਸ.ਸੀ.ਓ. 61-62, ਫੇਜ਼-2, ਮੋਹਾਲੀ ਦੀ ਜਾਣਕਾਰੀ ਲਈ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ।

ਨੱਥੀ/ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ,
ਏ. ਐਂਡ ਸੀ. ਸਲਿੱਪ ਨੰ: 12,
ਅਨੈਕਚਰ-A & B

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ(ਸੀ.ਐਸ.ਆਰ.)
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ-1/2) ਕਮ-ਕਨਵੀਨਰ
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੇ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ, ਪਟਿਆਲਾ

ਪਿੱਠ ਅੰਕਣ ਨੰ: 336 / ਸੀ.ਐਸ.ਆਰ.

ਮਿਤੀ: 10-12-2025

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਪੀ.ਆਰ.ਬੀ.ਡੀ.ਬੀ., ਐਸ.ਸੀ.ਓ. 61-62, ਫੇਜ਼-2, ਮੋਹਾਲੀ ਨੂੰ ਭੇਜ ਕਿ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਮਿੰਨਟਸ ਆਫ਼ ਮੀਟਿੰਗ ਸਮੇਤ ਡਿਟੇਲਾਂ (A&C Slip No. 12) ਦੀ ਕਾਪੀ ਵੈਬਸਾਈਟ ਤੇ ਪਾਉਣ ਦੀ ਖੋਚਲ ਕੀਤੀ ਜਾਵੇ।

ਨੱਥੀ/ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ,
ਏ. ਐਂਡ ਸੀ. ਸਲਿੱਪ ਨੰ: 12,
ਅਨੈਕਚਰ-A & B

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ(ਸੀ.ਐਸ.ਆਰ.)
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ-1/2) ਕਮ-ਕਨਵੀਨਰ
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੇ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ, ਪਟਿਆਲਾ

ਪਿੱਠ ਅੰਕਣ ਨੰ: 337 / ਸੀ.ਐਸ.ਆਰ.

ਮਿਤੀ: 10-12-2025

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਪੀ.ਏ. ਟੂ ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ:-1/2), ਲੇ:ਨਿ:ਵਿ: ਭ. ਤੇ ਮ. ਸਾਖਾ ਪਟਿਆਲਾ ਨੂੰ ਮੁੱਖ ਇੰਜੀਨੀਅਰ ਸਾਹਿਬ ਜੀ ਦੀ ਜਾਣਕਾਰੀ ਲਈ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ।

ਨੱਥੀ/ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ,
ਏ. ਐਂਡ ਸੀ. ਸਲਿੱਪ ਨੰ: 12,
ਅਨੈਕਚਰ-A & B

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ(ਸੀ.ਐਸ.ਆਰ.)
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ-1/2) ਕਮ-ਕਨਵੀਨਰ
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੇ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ, ਪਟਿਆਲਾ

ਪਿੱਠ ਅੰਕਣ ਨੰ: 338 / ਸੀ.ਐਸ.ਆਰ.

ਮਿਤੀ: 10-12-2025

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਨਿਗਰਾਨ ਇੰਜੀਨੀਅਰ (HRD), ਮੁੱਖ ਦਫ਼ਤਰ, ਲੇ.ਨਿ.ਵਿ., ਭ: ਤੇ ਮ: ਸਾਖਾ, ਪਟਿਆਲਾ ਜੀ ਨੂੰ ਸੂਚਨਾ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ।

ਨੱਥੀ/ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ,
ਏ. ਐਂਡ ਸੀ. ਸਲਿੱਪ ਨੰ: 12,
ਅਨੈਕਚਰ-A & B

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ(ਸੀ.ਐਸ.ਆਰ.)
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ-1/2) ਕਮ-ਕਨਵੀਨਰ
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੇ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ, ਪਟਿਆਲਾ

Annexure-A

Sr. No.	Designation	Department
1.	CE (HQ1/2)	Public Works Department (B&R)
2.	EIC (PWSSB)	Punjab Water Supply & Sewerage Board
3.	CE (Panchayati Raj)	Panchayati Raj Department
4.	Chief Architect	Architect Department
5.	CE (Canals)	Canals Department
6.	CE (Local Govt.)	Local Govt. Department
7.	CE (West)	Public Works Department (B&R)
8.	CE (DWSS)	Water Supply & Sanitation Department
9.	SE (HRD)	Public Works Department (B&R)
10.	Xen (CSR)	Public Works Department (B&R)
11.	SDO canals	Canals Department
12.	RO Shahkot	----

ਵਿਸ਼ਾ:- ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ਼ ਦੀ ਮਿਤੀ 09.12.2025 ਨੂੰ ਹੋਈ ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ।

ਮਿਤੀ 09. 12.2025 ਨੂੰ ਸਵੇਰੇ 11:00 ਵਜੇ ਵੀਡੀਓ ਕਾਨਫਰੈਂਸ (VC) ਰਾਹੀਂ ਜਲ ਸਰੋਤ ਵਿਭਾਗ ਵੱਲੋਂ ਸੀ.ਐਸ.ਆਰ.-2020 ਦੇ ਚੈਪਟਰ ਨੰ.-25 ਵਿੱਚ ਲਾਈਨਿੰਗ (Brick-Lined and Concrete-Lined) ਦੀਆਂ ਆਈਟਮਾਂ ਸੋਧ ਕਰਨ ਲਈ ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ਼ ਦੀ ਮੀਟਿੰਗ ਇਸ ਦਫਤਰ ਦੇ ਮੀਮੇ ਨੰ. 300-314/ਸੀ.ਐਸ.ਆਰ. ਮਿਤੀ 04.12.2025 ਰਾਹੀਂ ਮੀਟਿੰਗ ਬੁਲਾਈ ਗਈ। ਮੀਟਿੰਗ ਵਿੱਚ ਨੱਥੀ **Annexure-A** ਵਿੱਚ ਦਰਸਾਏ ਅਨੁਸਾਰ ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ਼ ਦੇ ਮੈਂਬਰਜ਼ ਅਤੇ ਵੱਖਵੱਖ ਵਿਭਾਗਾਂ ਦੇ - ਨੁਮਾਇੰਦਿਆਂ / ਅਧਿਕਾਰੀ ਸਾਹਿਬਾਨ ਵੱਲੋਂ ਮੀਟਿੰਗ VC ਲਿੰਕ ਰਾਹੀਂ ਅਟੈਂਡ ਕੀਤੀ ਗਈ।

ਸਭ ਤੋਂ ਪਹਿਲਾਂ ਕਨਵੀਨਰ ਵੱਲੋਂ ਸਾਰੇ ਆਏ ਮੈਂਬਰਾਂ ਅਤੇ ਅਧਿਕਾਰੀਆਂ ਨੂੰ ਜੀ ਆਇਆ ਆਖਿਆ ਗਿਆ। ਮੀਟਿੰਗ ਦਾ ਏਜੰਡਾ ਆਈਟਮ ਨੂੰ ਹਾਊਸ ਦੇ ਸਨਮੁੱਖ ਹੇਠ ਲਿਖੇ ਅਨੁਸਾਰ ਏਜੰਡਾ ਵਾਈਜ਼ ਵਿਚਾਰ ਵਟਾਂਦਰੇ ਲਈ ਪੇਸ਼ ਕੀਤਾ ਗਿਆ:-

ਏਜੰਡਾ:- Differentiating the canal cleaning items for brick and concrete lining and rate reduction of item 25.1, 25.2 and 25.7.

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਨਹਿਰਾਂ), ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ, ਚੰਡੀਗੜ੍ਹ ਦਾ ਮੀਮੇ ਨੰ. 11585/4 ਟੈਂਡਰਿੰਗ 1018249 ਮਿਤੀ 28.11.2025 ਅਤੇ ਮੀਮੇ ਨੰ. 11316/4 ਟੈਂਡਰਿੰਗ 354718 ਮਿਤੀ 19.11.2025 ਰਾਹੀਂ ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਚੈ.ਕੁ.1/2), ਪੰਜਾਬ ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ. ਤੇ ਮ. ਸ਼ਾਖ, ਪਟਿਆਲਾ ਨੂੰ ਪੱਤਰ ਲਿਖ ਕੇ ਦੱਸਿਆ ਗਿਆ ਕਿ ਉਨ੍ਹਾਂ ਦੇ ਵਿਭਾਗ ਵਿੱਚ ਪਿਛਲੇ ਕਈ ਸਾਲਾਂ ਦੌਰਾਨ ਨਹਿਰਾਂ ਦੀ ਲਾਈਨਿੰਗ ਕੀਤੀ ਗਈ ਹੈ, ਤਾਂ ਜੋ ਖੇਤੀਬਾੜੀ ਲਈ ਪਾਣੀ ਦੀ ਭਰੋਸੇਮੰਦ ਸਪਲਾਈ ਯਕੀਨੀ ਬਣਾਈ ਜਾ ਸਕੇ। ਦੇਵੇਂ ਕਿਸਮਾਂ ਦੀ ਲਾਈਨਿੰਗ ਵਿੱਚ ਬਣਾਵਟ, ਮਜ਼ਬੂਤੀ ਅਤੇ ਸਫਾਈ ਕਰਨ ਦੀ ਲੋੜ ਵਿੱਚ ਕਾਫੀ ਫਰਕ ਹੈ। ਪ੍ਰੰਤੂ ਮੌਜੂਦਾ ਸੀ.ਐਸ.ਆਰ.-2020 ਦੇ ਚੈਪਟਰ ਨੰ. 25 ਵਿੱਚ ਲਾਈਨਿੰਗ ਦੀ ਸਫਾਈ ਦੀ ਆਈਟਮਾਂ ਵਿੱਚ ਇੰਨ੍ਹਾਂ ਦੋਨਾਂ ਕਿਸਮਾਂ ਨੂੰ Proper Define ਨਹੀਂ ਕੀਤਾ ਗਿਆ ਹੈ ਜਿਸ ਕਾਰਨ ਰੇਟ Calculate ਕਰਨ ਦੌਰਾਨ ਐਕੜਾਂ ਪੇਸ਼ ਆਉਂਦੀਆਂ ਹਨ। ਦੇਵੇਂ ਕਿਸਮਾਂ ਲਈ ਸਫਾਈ ਦੀ ਆਈਟਮਾਂ ਨੂੰ ਵੱਖਰਾ-ਵੱਖਰਾ ਕਰਨ ਦੀ ਜ਼ਰੂਰਤ ਹੈ। ਇਸ ਲਈ ਨੱਥੀ ਪੱਤਰ ਅਨੁਸਾਰ ਸਫਾਈ ਲਈ ਲਾਈਨਿੰਗ (Brick-Lined and Concrete-Lined) ਦੀਆਂ ਆਈਟਮਾਂ ਨੂੰ ਸੀ.ਐਸ.ਆਰ.-2020 ਦੇ ਚੈਪਟਰ ਨੰ.-25 ਵਿੱਚ ਸੋਧ ਕਰਨ ਜ਼ਰੂਰਤ ਹੈ।

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਨਹਿਰਾਂ), ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ ਚੰਡੀਗੜ੍ਹ ਵੱਲੋਂ ਦੀ ਬੇਨਤੀ ਅਨੁਸਾਰ ਚੈਪਟਰ 25 ਦੀ ਆਈਟਮ 25.1, 25.2 ਅਤੇ 25.7 ਦੇ ਮੌਜੂਦਾ ਸੀ.ਐਸ.ਆਰ ਰੇਟਾਂ ਵਿੱਚ ਲਗਭਗ 40% ਰੇਟ ਘਟਾ ਕੇ ਤਜਵੀਜ਼ ਪੇਸ਼ ਕੀਤੀ ਗਈ ਜਿਸ ਅਨੁਸਾਰ ਉਨ੍ਹਾਂ ਦੇ ਨੇਟ ਵਿੱਚ ਵੀ ਸ਼ਾਮਲ ਕਰ ਦਿੱਤਾ ਗਿਆ ਹੈ। ਜਿਸ ਦਾ ਵੇਰਵਾ ਹੇਠ ਦਰਸਾਏ ਅਨੁਸਾਰ ਹੈ:-

1) ਆਈਟਮ 25.1 ਦੇ ਰੇਟਾਂ ਵਿੱਚ 40% ਘਟੌਤੀ ਹੇਠ ਅਨੁਸਾਰ ਅਤੇ ਨੋਟ 5 ਅਤੇ 6 ਨੂੰ ਸ਼ਾਮਲ ਕੀਤਾ ਗਿਆ।

MAINTENANCE OF CANAL AND DRAIN

Sr. No.	Description	Unit	Zone-A		Zone-B	
			Labour Rate	Through Rate	Labour Rate	Through Rate
1	2	3	4	5	6	7
25.1	Clearance of weed, jalla, deela etc manually from inner section of unlined channel					
(a)	Unlined (heavy growth)					
	(i) discharge upto 0.42 cumecs	mtr	16.00	16.00	18.00	18.00
	(ii) discharge exceeding 0.42 but upto 1.42 cumecs	mtr	23.00	23.00	25.00	25.00
	(iii) discharge exceeding 1.42 but upto 2.83 cumecs	mtr	33.00	33.00	36.00	36.00
	(iv) discharge exceeding 2.83 cumecs	mtr	42.00	42.00	46.00	46.00
(b)	Unlined (medium growth)					
	(i) discharge upto 0.42 cumecs	mtr	13.00	13.00	14.00	14.00
	(ii) discharge exceeding 0.42 but upto 1.42 cumecs	mtr	19.00	19.00	21.00	21.00
	(iii) discharge exceeding 1.42 but upto 2.83 cumecs	mtr	26.00	26.00	29.00	29.00
	(iv) discharge exceeding 2.83 cumecs	mtr	34.00	34.00	37.00	37.00
(c)	Unlined (Light growth)					
	(i) discharge upto 0.42 cumecs	mtr	12.00	12.00	13.00	13.00
	(ii) discharge exceeding 0.42 but upto 1.42 cumecs	mtr	16.00	16.00	18.00	18.00
	(iii) discharge exceeding 1.42 but upto 2.83 cumecs	mtr	23.00	23.00	25.00	25.00
	(iv) discharge exceeding 2.83 cumecs	mtr	29.00	29.00	32.00	32.00

- Note: 1) Man days are taken as per actual progress assessed by the committee of Engineers constituted by Chief Engineer, Canals.
- 2) In case of heavy weed, jalla, deela etc growth category, concerned SDO and Executive Engineer will certify after physical verification.
- 3) In case of medium and light weed, jalla, deela etc growth category, concerned SDO will certify after physical verification and concerned Executive Engineer will also certify after satisfying himself.
- 4) The rate includes the proper disposal of weed, jalla, deela etc. also.
- 5) If measureable silt is present in channel then item no 6.1 will be applicable and whole cross-section should clear of weed jalla, deela sarkanda jungle, butti, dhora silt etc under it
- 6) item no 25.1 and item 6.1 will not be applicable simultaneously in same reach of channel and cross section should clear of weed jalla, deela sarkanda jungle, butti, dhora silt etc in works under either of these items.

- 1) ਆਈਟਮ 25.2 ਦੇ ਰੇਟਾਂ ਵਿੱਚ 40% ਘਟੌਤੀ ਹੇਠ ਅਨੁਸਾਰ ਅਤੇ ਨੋਟ 6 ਨੂੰ ਸ਼ਾਮਲ ਕੀਤਾ ਗਿਆ ਅਤੇ ਮੌਜੂਦਾ lined ਚੈਨਲ ਨੂੰ Brick Lined ਅਤੇ Concrete Lined ਲਈ ਨਵੀਂ ਸਬ ਆਈਟਮ 25.2 (d) ਸ਼ਾਮਲ ਕੀਤਾ ਗਿਆ ਜੋ ਕਿ ਹੇਠ ਦਰਸਾਏ ਅਨੁਸਾਰ ਹੈ-

2)

Sr. No.	Description	Unit	Zone-A		Zone-B	
			Labour Rate	Through Rate	Labour Rate	Through Rate
1	2	3	4	5	6	7
25.2	Clearance of weed, jalla, deela, sarkanda, jungle butti, dhora, silts etc. manually from inner section of lined channel.					
(a)	Brick Lined (heavy growth)					
(i)	discharge upto 0.283 cumecs	mtr	15.00	15.00	17.00	17.00
(ii)	discharge exceeding 0.283 but upto 1.42 cumecs	mtr	23.00	23.00	25.00	25.00
(iii)	discharge exceeding 1.42 but upto 2.83 cumecs	mtr	31.00	31.00	34.00	34.00
(iv)	discharge exceeding 2.83 cumecs	mtr	38.00	38.00	42.00	42.00
(b)	Brick Lined (medium growth)					
(i)	discharge upto 0.283 cumecs	mtr	12.00	12.00	13.00	13.00
(ii)	discharge exceeding 0.283 but upto 1.42 cumecs	mtr	17.00	17.00	19.00	19.00

	(iii)	discharge exceeding 1.42 but upto 2.83 cumecs	mtr	23.00	23.00	25.00	25.00
	(iv)	discharge exceeding 2.83 cumecs	mtr	29.00	29.00	32.00	32.00
(c) Brick Lined (Light growth)							
	(i)	discharge upto 0.283 cumecs	mtr	8.00	8.00	9.00	9.00
	(ii)	discharge exceeding 0.283 but upto 1.42 cumecs	mtr	12.00	12.00	13.00	13.00
	(iii)	discharge exceeding 1.42 but upto 2.83 cumecs	mtr	15.00	15.00	17.00	17.00
	(iv)	discharge exceeding 2.83 cumecs	mtr	19.00	19.00	21.00	21.00
(d) Concrete Lined							
	(i)	discharge upto 0.283 cumecs	mtr	8.00	8.00	9.00	9.00
	(ii)	discharge exceeding 0.283 but upto 1.42 cumecs	mtr	12.00	12.00	13.00	13.00
	(iii)	discharge exceeding 1.42 but upto 2.83 cumecs	mtr	15.00	15.00	17.00	17.00
	(iv)	discharge exceeding 2.83 cumecs	mtr	19.00	19.00	21.00	21.00

- Note: 1) Man days are taken as per actual progress accessed by the committee of Engineers constituted by Chief Engineer, Canals.
- 2) In case of heavy weed, jalla, deela, sarkanda, jungle, butti, dhora, silts etc. growth category, concerned SDO and Executive Engineer will certify after physical verification.
- 3) In case of medium and light weed, jalla, deela, sarkanda, jungle, butti, dhora, silts etc growth category, concerned SDO will certify after physical verification and concerned Executive Engineer will also certify after satisfying himself.
- 4) The rate includes the proper disposal of weed, jalla, deela, sarkanda, jungle, butti, dhora, silts etc also.
- 5) Wherever there is no silt in the bed of the distributary/minor, rates should further be decreased by 40% of that of normal norms of weed, jalla, deela, sarkanda, jungle, butti, dhora etc. with silt.
- 6) Item no 25.2 and item 6.1 will not be applicable simultaneously in same reach of channel and cross section should clear of weed jalla, deela sarkanda jungle, butti, dhora silt etc in works under either of these items.


3) ਆਈਟਮ 25.7 ਦੇ ਰੇਟਾਂ ਵਿੱਚ ਵੀ 40% ਘਟੌਤੀ ਕੀਤੀ ਗਈ ਜੋ ਕਿ ਹੇਠ ਅਨੁਸਾਰ ਹੈ -

4)

Sr. No.	Description		Unit	Zone-A		Zone-B	
				Labour Rate	Through Rate	Labour Rate	Through Rate
1	2		3	4	5	6	7
25.7	Clearance of sarkanda, weed, jala, booti etc. from wet drains by machinery having bed width						
	(i)	Upto 20 feet	Sqm	11.00	11.00	12.00	12.00
	(ii)	More than 20 feet	Sqm	13.00	13.00	14.00	14.00

ਉਕਤ ਅਨੁਸਾਰ ਤਜਵੀਜ਼ ਨੂੰ ਮੀਟਿੰਗ ਵਿੱਚ ਵਿਚਾਰ ਵਟਾਂਦਰਾ ਕਰਨ ਉਪਰੰਤ ਸਹਿਮਤੀ ਦੇ ਦਿੱਤੀ ਗਈ ਅਤੇ ਅੰਤ ਵਿਚ ਮੀਟਿੰਗ ਧੰਨਵਾਦ ਦੇ ਮਤੇ ਨਾਲ ਸਮਾਪਤ ਕੀਤੀ ਗਈ।


ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਬਿਜਲੀ) ਕਮ-(ਚੈ.ਕੁ.-1/2)-ਕਨਵੀਨਰ,
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ, ਪਟਿਆਲਾ।


ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਕੈਨਾਲ),
ਪੰਜਾਬ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਹਾਈਡਲ
ਭਵਨ, ਸੈਕਟਰ-18, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)


ਮੁੱਖ ਇੰਜੀਨੀਅਰ,
ਪੰਜਾਬ, ਵਾਟਰ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਵਿਭਾਗ,
ਮੋਹਾਲੀ (ਮੈਂਬਰ)


ਮੁੱਖ ਇੰਜੀਨੀਅਰ,
ਲੋਕਲ ਬਾਡੀਜ਼, ਪੰਜਾਬ, ਪਲਾਟ ਨੰ: 3,
ਸੈਕਟਰ 35-ਏ, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)

~~ਮੁੱਖ~~
ਇੰਜੀਨੀਅਰ-ਇੰਨ-ਚੀਫ,

ਪੰਜਾਬ ਵਾਟਰ ਸਪਲਾਈ ਅਤੇ ਸਿਵਰੇਜ਼ ਬੋਰਡ,

ਸੈਕਟਰ-27 ਏ ਪਲਾਟ ਨੰ: 1 ਬੀ,

ਮਾਧਿਆ ਮਾਰਗ, ਚੰਡੀਗੜ੍ਹ (ਮੋਬਰ)

~~ਮੁੱਖ~~
ਮੁੱਖ ਆਰਕੀਟੈਕਟ,

ਆਰਕੀਟੈਕਚਰ ਵਿਭਾਗ, ਐਸ.ਸੀ.ਓ ਨੰ:149-52,

ਪਹਿਲੀ ਤੇ ਚੌਥੀ ਮੰਜ਼ਿਲ, ਪੰਜਾਬ ਮੰਡੀ ਬੋਰਡ ਪੁਰਾਣੀ

ਬਿਲਡਿੰਗ ਸੈਕਟਰ-17 ਸੀ, ਚੰਡੀਗੜ੍ਹ (ਮੋਬਰ)

~~ਮੁੱਖ~~
ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਪੰਚਾਇਤੀ ਰਾਜ),

ਪੰਜਾਬ ਪੇਂਡੂ ਵਿਕਾਸ ਅਤੇ ਪੰਚਾਇਤਾਂ ਵਿਭਾਗ,

ਫੇਜ਼-9, ਮੋਹਾਲੀ, (ਮੋਬਰ)

Annexure-B							
A&C slip No. 12 to CSR-2020							
Sr. No	Page No.	CSR Item No.	Col. No.	Line No.	Existing as	Ammended as	Remarks
1	2	3	4	5	6	7	8
1	409	25.1 (a) (i)	4	5	27.00	16.00	Rate corrected_as recommendedby CE (Canals) vide letter no. 11836/ 7 Tendering/ 1018249 dt. 09.12.2025
2			5	5	27.00	16.00	-do-
3			6	5	30.00	18.00	-do-
4			7	5	30.00	18.00	-do-
5	409	25.1 (a) (ii)	4	7	39.00	23.00	-do-
6			5	7	39.00	23.00	-do-
7			6	7	43.00	25.00	-do-
8			7	7	43.00	25.00	-do-
9	409	25.1 (a) (iii)	4	9	54.00	33.00	-do-
10			5	9	54.00	33.00	-do-
11			6	9	59.00	36.00	-do-
12			7	9	59.00	36.00	-do-
13	409	25.1 (a) (iv)	4	11	70.00	42.00	-do-
14			5	11	70.00	42.00	-do-
15			6	11	77.00	46.00	-do-
16			7	11	77.00	46.00	-do-
17	409	25.1 (b) (i)	4	15	22.00	13.00	-do-
18			5	15	22.00	13.00	-do-
19			6	15	24.00	14.00	-do-
20			7	15	24.00	14.00	-do-
21	409	25.1 (b) (ii)	4	17	31.00	19.00	-do-
22			5	17	31.00	19.00	-do-
23			6	17	34.00	21.00	-do-
24			7	17	34.00	21.00	-do-
25	409	25.1 (b) (iii)	4	19	44.00	26.00	-do-
26			5	19	44.00	26.00	-do-
27			6	19	48.00	29.00	-do-
28			7	19	48.00	29.00	-do-
29	409	25.1 (b) (iv)	4	21	56.00	34.00	-do-
30			5	21	56.00	34.00	-do-
31			6	21	62.00	37.00	-do-
32			7	21	62.00	37.00	-do-
33	409	25.1 (c) (i)	4	25	19.00	12.00	-do-
34			5	25	19.00	12.00	-do-
35			6	25	21.00	13.00	-do-
36			7	25	21.00	13.00	-do-
37	409	25.1 (c) (ii)	4	27	27.00	16.00	-do-
38			5	27	27.00	16.00	-do-
39			6	27	30.00	18.00	-do-

A&C slip No. 12 to CSR-2020							
Sr. No	Page No.	CSR Item No.	Col. No.	Line No.	Existing as	Ammended as	Remarks
1	2	3	4	5	6	7	8
40			7	27	30.00	18.00	-do-
41	409	25.1 (c) (iii)	4	29	38.00	23.00	-do-
42			5	29	38.00	23.00	-do-
43			6	29	42.00	25.00	-do-
44			7	29	42.00	25.00	-do-
45	410	25.1 (c) (iv)	4	2	49.00	29.00	-do-
46			5	2	49.00	29.00	-do-
47			6	2	54.00	32.00	-do-
48			7	2	54.00	32.00	-do-
	410	Note	1	3	1) Man days are taken as per actual progress assessed by the committee of Engineers constituted by Chief Engineer, Canals. 2) In case of heavy weed, jalla, deela etc growth category, concerned SDO and Executive Engineer will certify after physical verification. 3) In case of medium and light weed, jalla, deela etc growth category, concerned SDO will certify after physical verification and concerned Executive Engineer will also certify after satisfying himself. 4) The rate includes the proper disposal of weed, jalla, deela etc. also.	1)Man days are taken as per actual progress assessed by the committee of Engineers constituted by Chief Engineer, Canals. 2) In case of heavy weed, jalla, deela etc. growth category, concerned SDO and Executive Engineer will certify after physical verification. 3) In case of medium and light weed, jalla, deela etc. growth category, concerned SDO will certify after physical verification and concerned Executive Engineer will also certify after satisfying himself. 4) The rate includes proper disposal of weed, jalla, deela etc. also. 5) If measurable silt is present in the channel, then item no. 6.1 will be applicable and whole cross-section should be clear of weed jalla, deela, sarkanda, jungle, butti, dhora silt etc. 6) Item no. 25.1 and item 6.1 will not be applicable simultaneously in the same reach of channel, and cross section should be clear of weed jalla, deela, sarkanda, jungle, butti, dhora silt etc. in works under either of these items.	Replace the Note as above ref.
49	410	25.2 (a) (i)	4	9	25.00	15.00	Rate corrected _as above ref.
50			5	9	25.00	15.00	-do-
51			6	9	28.00	17.00	-do-
52			7	9	28.00	17.00	-do-
53	410	25.2 (a) (ii)	4	11	38.00	23.00	-do-
54			5	11	38.00	23.00	-do-
55			6	11	42.00	25.00	-do-
56			7	11	42.00	25.00	-do-
57	410	25.2 (a) (iii)	4	13	51.00	31.00	-do-
58			5	13	51.00	31.00	-do-
59			6	13	56.00	34.00	-do-

Annexure-B							
A&C slip No. 12 to CSR-2020							
Sr. No	Page No.	CSR Item No.	Col. No.	Line No.	Existing as	Ammended as	Remarks
1	2	3	4	5	6	7	8
60			7	13	56.00	34.00	-do-
61	410	25.2 (a) (iv)	4	15	64.00	38.00	-do-
62			5	15	64.00	38.00	-do-
63			6	15	70.00	42.00	-do-
64			7	15	70.00	42.00	-do-
65	410	25.2 (b) (i)	4	19	19.00	12.00	-do-
66			5	19	19.00	12.00	-do-
67			6	19	21.00	13.00	-do-
68			7	19	21.00	13.00	-do-
69	410	25.2 (b) (ii)	4	21	29.00	17.00	-do-
70			5	21	29.00	17.00	-do-
71			6	21	32.00	19.00	-do-
72			7	21	32.00	19.00	-do-
73	410	25.2 (b) (iii)	4	23	38.00	23.00	-do-
74			5	23	38.00	23.00	-do-
75			6	23	42.00	25.00	-do-
76			7	23	42.00	25.00	-do-
77	410	25.2 (b) (iv)	4	25	48.00	29.00	-do-
78			5	25	48.00	29.00	-do-
79			6	25	53.00	32.00	-do-
80			7	25	53.00	32.00	-do-
81	410	25.2 (c) (i)	4	29	13.00	8.00	-do-
82			5	29	13.00	8.00	-do-
83			6	29	14.00	9.00	-do-
84			7	29	14.00	9.00	-do-
85	411	25.2 (c) (ii)	4	2	19.00	12.00	-do-
86			5	2	19.00	12.00	-do-
87			6	2	21.00	13.00	-do-
88			7	2	21.00	13.00	-do-
89	410	25.2 (c) (iii)	4	4	25.00	15.00	-do-
90			5	4	25.00	15.00	-do-
91			6	4	28.00	17.00	-do-
92			7	4	28.00	17.00	-do-
93	410	25.2 (c) (iv)	4	6	32.00	19.00	-do-
94			5	6	32.00	19.00	-do-
95			6	6	35.00	21.00	-do-
96			7	6	35.00	21.00	-do-

Annexure-B							
A&C slip No. 12 to CSR-2020							
Sr. No	Page No.	CSR Item No.	Col. No.	Line No.	Existing as	Ammended as	Remarks
1	2	3	4	5	6	7	8
	411	Note	1	8	1) Man days are taken as per actual progress accessed by the committee of Engineers constituted by Chief Engineer, Canals. 2) In case of heavy weed, jalla, deela, sarkanda, jungle, butti, dhora, silts etc. growth category, concerned SDO and Executive Engineer will certify after physical verification. 3) In case of medium and light weed, jalla, deela, sarkanda, jungle, butti, dhora, silts etc growth category, concerned SDO will certify after physical verification and concerned Executive Engineer will also certify after satisfying himself. 4) The rate includes the proper disposal of weed, jalla, deela, sarkanda, jungle, butti, dhora, silts etc also. 5) Wherever there is no silt in the bed of the distributary/minor, rates should further be decreased by 40% of that of normal norms of weed, jalla, deela, sarkanda, jungle, butti, dhora etc. with silt.	1) Man days are taken as per actual progress assessed by the committee of Engineers constituted by Chief Engineer, Canals. 2) In case of heavy weed, jalla, deela, sarkanda, jungle, butti, dhora, silts etc. growth category, concerned SDO and Executive Engineer will certify after physical verification. 3) In case of medium and light weed, jalla, deela, sarkanda, jungle, butti, dhora, silts etc. growth category, concerned SDO will certify after physical verification and concerned Executive Engineer will also certify after satisfying himself. 4) The rate includes proper disposal of weed, jalla, deela, sarkanda, jungle, butti, dhora, silts etc. 5) Wherever there is no silt in the bed of the distributary/minor, rates should be decreased by 40% of normal norms of weed, jalla, deela, sarkanda, jungle, butti, dhora etc. with silt. 6)Item no. 25.2 and item 6.1 will not be applicable simultaneously in the same reach of channel and cross section should be clear of weed jalla, deela, sarkanda, jungle, butti, dhora etc. in works under either of these items.	Replace the Note as above ref.
New Sub items added							
97	411		1			25.2 (d)	New Sub-item added as above ref.
98			2			Concrete Lined	-do-
99			3			mtr	-do-
100	411	25.2 (d) (i)	4		-	8.00	-do-
101			5		-	8.00	-do-
102			6		-	9.00	-do-
103			7		-	9.00	-do-
104	411	25.2 (d) (ii)	4		-	12.00	-do-
105			5		-	12.00	-do-
106			6		-	13.00	-do-
107			7		-	13.00	-do-
108	411	25.2 (d) (iii)	4		-	15.00	-do-
109			5		-	15.00	-do-
110			6		-	17.00	-do-
111			7		-	17.00	-do-
112	411	25.2 (d) (iv)	4		-	19.00	-do-
113			5		-	19.00	-do-

Annexure-B							
A&C slip No. 12 to CSR-2020							
Sr. No	Page No.	CSR Item No.	Col. No.	Line No.	Existing as	Ammended as	Remarks
1	2	3	4	5	6	7	8
114			6		-	21.00	-do-
115			7		-	21.00	-do-
116	413	25.7 ((i)	4		15.00	11.00	-do-
117			5		15.00	11.00	-do-
118			6		17.00	12.00	-do-
119			7		17.00	12.00	-do-
120	413	25.7 (ii)	4		18.00	13.00	-do-
121			5		18.00	13.00	-do-
122			6		20.00	14.00	-do-
123			7		20.00	14.00	-do-

PROPOSED AMMENDMENT IN CSR-2020

MAINTENANCE OF CANAL AND DRAIN

Sr. No.	Description	Unit	Zone-A		Zone-B	
			Labour Rate	Through Rate	Labour Rate	Through Rate
1	2	3	4	5	6	7
25.1	Clearance of weed, jalla, deela etc manually from inner section of unlined channel					
(a)	Unlined (heavy growth)					
	(i) discharge upto 0.42 cumecs	mtr	16.00	16.00	18.00	18.00
	(ii) discharge exceeding 0.42 but upto 1.42 cumecs	mtr	23.00	23.00	25.00	25.00
	(iii) discharge exceeding 1.42 but upto 2.83 cumecs	mtr	33.00	33.00	36.00	36.00
	(iv) discharge exceeding 2.83 cumecs	mtr	42.00	42.00	46.00	46.00
(b)	Unlined (medium growth)					
	(i) discharge upto 0.42 cumecs	mtr	13.00	13.00	14.00	14.00
	(ii) discharge exceeding 0.42 but upto 1.42 cumecs	mtr	19.00	19.00	21.00	21.00
	(iii) discharge exceeding 1.42 but upto 2.83 cumecs	mtr	26.00	26.00	29.00	29.00
	(iv) discharge exceeding 2.83 cumecs	mtr	34.00	34.00	37.00	37.00
(c)	Unlined (Light growth)					
	(i) discharge upto 0.42 cumecs	mtr	12.00	12.00	13.00	13.00
	(ii) discharge exceeding 0.42 but upto 1.42 cumecs	mtr	16.00	16.00	18.00	18.00
	(iii) discharge exceeding 1.42 but upto 2.83 cumecs	mtr	23.00	23.00	25.00	25.00
	(iv) discharge exceeding 2.83 cumecs	mtr	29.00	29.00	32.00	32.00

Note: 1) Man days are taken as per actual progress assessed by the committee of Engineers constituted by Chief Engineer, Canals.

2) In case of heavy weed, jalla, deela etc growth category, concerned SDO and Executive Engineer will certify after physical verification.

3) In case of medium and light weed, jalla, deela etc growth category, concerned SDO will certify after physical verification and concerned Executive Engineer will also certify after satisfying himself.

4) The rate includes the proper disposal of weed, jalla, deela etc. also.

5) If measureable silt is present in channel then item no 6.1 will be applicable and whole cross-section should clear of weed jalla, deela sarkanda jungle, butti, dhora silt etc under it.

6) item no 25.1 and item 6.1 will not be applicable simultaneously in same reach of channel and cross section should clear of weed jalla, deela sarkanda jungle, butti, dhora silt etc in works under either of these items.

Sr. No.	Description		Unit	Zone-A		Zone-B	
				Labour Rate	Through Rate	Labour Rate	Through Rate
1	2	3	4	5	6	7	
25.2	Clearance of weed, jalla, deela, sarkanda, jungle						
(a)	Brick Lined (heavy growth)						
	(i)	discharge upto 0.283 cumecs	mtr	15.00	15.00	17.00	17.00
	(ii)	discharge exceeding 0.283 but upto 1.42 cumecs	mtr	23.00	23.00	25.00	25.00
	(iii)	discharge exceeding 1.42 but upto 2.83 cumecs	mtr	31.00	31.00	34.00	34.00
	(iv)	discharge exceeding 2.83 cumecs	mtr	38.00	38.00	42.00	42.00
(b)	Brick Lined (medium growth)						
	(i)	discharge upto 0.283 cumecs	mtr	12.00	12.00	13.00	13.00
	(ii)	discharge exceeding 0.283 but upto 1.42 cumecs	mtr	17.00	17.00	19.00	19.00
	(iii)	discharge exceeding 1.42 but upto 2.83 cumecs	mtr	23.00	23.00	25.00	25.00
	(iv)	discharge exceeding 2.83 cumecs	mtr	29.00	29.00	32.00	32.00
(c)	Brick Lined (Light growth)						
	(i)	discharge upto 0.283 cumecs	mtr	8.00	8.00	9.00	9.00
	(ii)	discharge exceeding 0.283 but upto 1.42 cumecs	mtr	12.00	12.00	13.00	13.00
	(iii)	discharge exceeding 1.42 but upto 2.83 cumecs	mtr	15.00	15.00	17.00	17.00
	(iv)	discharge exceeding 2.83 cumecs	mtr	19.00	19.00	21.00	21.00
(d)	Concrete Lined						
	(i)	discharge upto 0.283 cumecs	mtr	8.00	8.00	9.00	9.00
	(ii)	discharge exceeding 0.283 but upto 1.42 cumecs	mtr	12.00	12.00	13.00	13.00
	(iii)	discharge exceeding 1.42 but upto 2.83 cumecs	mtr	15.00	15.00	17.00	17.00
	(iv)	discharge exceeding 2.83 cumecs	mtr	19.00	19.00	21.00	21.00

Sr. No.	Description	Unit	Zone-A		Zone-B	
			Labour Rate	Through Rate	Labour Rate	Through Rate
1	2	3	4	5	6	7
Note: 1) Man days are taken as per actual progress accessed by the committee of Engineers constituted by Chief Engineer, Canals. 2) In case of heavy weed, jalla, deela, sarkanda, jungle, butti, dhora, silts etc. growth category, concerned SDO and Executive Engineer will certify after physical verification. 3) In case of medium and light weed, jalla, deela, sarkanda, jungle, butti, dhora, silts etc growth category, concerned SDO will certify after physical verification and concerned Executive Engineer will also certify after satisfying himself. 4) The rate includes the proper disposal of weed, jalla, deela, sarkanda, jungle, butti, dhora, silts etc also. 5) Wherever there is no silt in the bed of the distributary/minor, rates should further be decreased by 40% of that of normal norms of weed, jalla, deela, sarkanda, jungle, butti, dhora etc. with silt. 6) Item no 25.2 and item 6.1 will not be applicable simultaneously in same reach of channel and cross section should clear of weed jalla, deela sarkanda jungle, butti, dhora silt etc in works under either of these items.						
25.7	Clearance of sarkanda, weed, jala, booti etc.					
	(i) Upto 20 feet	Sqm	11.00	11.00	12.00	12.00
	(ii) More than 20 feet	Sqm	13.00	13.00	14.00	14.00

ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਨਹਿਰਾਂ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ, ਸੈਕਟਰ-18, ਚੰਡੀਗੜ੍ਹ।
(ਟੈਂਡਰਿੰਗ ਅਤੇ ਕੰਟਰੈਕਟ ਮੈਨੇਜਮੈਂਟ ਸ਼ਾਖਾ)
(ਈ-ਮੇਲ-cecanals.dwr.chd@punjab.gov.in)

ਵੱਲੋਂ,

ਮੁੱਖ ਇੰਜੀਨੀਅਰ / ਨਹਿਰਾਂ,
ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ,
ਚੰਡੀਗੜ੍ਹ।

ਵੱਲੋਂ,

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਬਿਜਲੀ)-ਕਮ-(ਹੈ.ਕੁ.-1/2) ਕਨਵੀਨਰ,
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੇ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ ਪਟਿਆਲਾ।
ਈ-ਮੇਲ: cepwdcsr@gmail.com

ਮੀਮੇ ਨੰਬਰ **11836** / 4 ਟੈਂਡਰਿੰਗ / 1018249
ਮਿਤੀ **09/12/2025**

ਵਿਸ਼ਾ:- ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ਼ ਦੀ ਮਿਤੀ 09/12/25 ਨੂੰ ਹੋਈ ਮੀਟਿੰਗ ਬਾਰੇ।

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਨਹਿਰਾਂ) ਜੀ ਦੀ ਬੇਨਤੀ ਅਨੁਸਾਰ ਚੈਪਟਰ 25 ਦੀ ਆਈਟਮ 25.1, 25.2 ਅਤੇ 25.7 ਦੇ ਮੌਜੂਦਾ ਸੀ.ਐਸ.ਆਰ ਰੇਟਾਂ ਵਿੱਚ ਸਿਲਟ ਦੀ ਕਟੌਤੀ ਕਰਕੇ ਲਗਭਗ 40% ਰੇਟ ਘਟਾ ਕੇ ਤਜਵੀਜ਼ ਪੇਸ਼ ਕੀਤੀ ਗਈ ਜਿਸ ਅਨੁਸਾਰ ਉਨ੍ਹਾਂ ਦੀ ਨੋਟ ਵਿੱਚ ਵੀ ਸ਼ਾਮਲ ਕਰ ਦਿੱਤਾ ਗਿਆ ਹੈ। ਜਿਸ ਦਾ ਵੇਰਵਾ ਹੇਠ ਦਰਸਾਏ ਅਨੁਸਾਰ ਹੈ-

- 1) ਆਈਟਮ 25.1 ਦੇ ਰੇਟਾਂ ਵਿੱਚ 40% ਘਟੌਤੀ ਹੇਠ ਅਨੁਸਾਰ ਅਤੇ ਨੋਟ 5 ਅਤੇ 6 ਨੂੰ ਸ਼ਾਮਲ ਕੀਤਾ ਗਿਆ।

MAINTENANCE OF CANAL AND DRAIN

Sr. No.	Description	Unit	Zone-A		Zone-B	
			Labour Rate	Through Rate	Labour Rate	Through Rate
1	2	3	4	5	6	7
25.1	Clearance of weed, jalla, deela etc manually from inner section of unlined channel					
(a)	Unlined (heavy growth)					

	(i)	discharge upto 0.42 cumecs	mtr	16.00	16.00	18.00	18.00
	(ii)	discharge exceeding 0.42 but upto 1.42 cumecs	mtr	23.00	23.00	25.00	25.00
	(iii)	discharge exceeding 1.42 but upto 2.83 cumecs	mtr	33.00	33.00	36.00	36.00
	(iv)	discharge exceeding 2.83 cumecs	mtr	42.00	42.00	46.00	46.00
(b)	Unlined (medium growth)						
	(i)	discharge upto 0.42 cumecs	mtr	13.00	13.00	14.00	14.00
	(ii)	discharge exceeding 0.42 but upto 1.42 cumecs	mtr	19.00	19.00	21.00	21.00
	(iii)	discharge exceeding 1.42 but upto 2.83 cumecs	mtr	26.00	26.00	29.00	29.00
	(iv)	discharge exceeding 2.83 cumecs	mtr	34.00	34.00	37.00	37.00
(c)	Unlined (Light growth)						
	(i)	discharge upto 0.42 cumecs	mtr	12.00	12.00	13.00	13.00
	(ii)	discharge exceeding 0.42 but upto 1.42 cumecs	mtr	16.00	16.00	18.00	18.00
	(iii)	discharge exceeding 1.42 but upto 2.83 cumecs	mtr	23.00	23.00	25.00	25.00
	(iv)	discharge exceeding 2.83 cumecs	mtr	29.00	29.00	32.00	32.00
Note: 1) Man days are taken as per actual progress assessed by the committee of Engineers constituted by Chief Engineer, Canals. 2) In case of heavy weed, jalla, deela etc growth category, concerned SDO and Executive Engineer will certify after physical verification. 3) In case of medium and light weed, jalla, deela etc growth category, concerned SDO will certify after physical verification and concerned Executive Engineer will also certify after satisfying himself. 4) The rate includes the proper disposal of weed, jalla, deela etc. also. 5) If measureable silt is present in channel then item no 6.1 will be applicable and whole cross-section should clear of weed jalla, deela sarkanda jungle, butti, dhora silt etc under it 6) item no 25.1 and item 6.1 will not be applicable simultaneously in same reach of channel and cross section should clear of weed jalla, deela sarkanda jungle, butti, dhora silt etc in works under either of these items.							

- 1) ਆਈਟਮ 25.2 ਦੇ ਰੇਟਾਂ ਵਿੱਚ 40% ਘਟੌਤੀ ਹੇਠ ਅਨੁਸਾਰ ਅਤੇ ਨੋਟ 6 ਨੂੰ ਸ਼ਾਮਲ ਕੀਤਾ ਗਿਆ ਅਤੇ ਮੌਜੂਦਾ lined ਚੈਨਲ ਨੂੰ Brick Lined ਅਤੇ Concrete Lined ਲਈ ਨਵੀਂ ਸਬ ਆਈਟਮ 25.2 (d) ਸ਼ਾਮਲ ਕੀਤਾ ਗਿਆ ਜੋ ਕਿ ਹੇਠ ਦਰਸਾਏ ਅਨੁਸਾਰ ਹੈ-

Sr. No.	Description	Unit	Zone-A		Zone-B	
			Labour Rate	Through Rate	Labour Rate	Through Rate
1	2	3	4	5	6	7
25.2	Clearance of weed, jalla, deela, sarkanda, jungle butti, dhora, silts etc. manually from inner section of lined channel.					
(a)	Brick Lined (heavy growth)					
(i)	discharge upto 0.283 cumecs	mtr	15.00	15.00	17.00	17.00
(ii)	discharge exceeding 0.283 but upto 1.42 cumecs	mtr	23.00	23.00	25.00	25.00
(iii)	discharge exceeding 1.42 but upto 2.83 cumecs	mtr	31.00	31.00	34.00	34.00
(iv)	discharge exceeding 2.83 cumecs	mtr	38.00	38.00	42.00	42.00
(b)	Brick Lined (medium growth)					
(i)	discharge upto 0.283 cumecs	mtr	12.00	12.00	13.00	13.00
(ii)	discharge exceeding 0.283 but upto 1.42 cumecs	mtr	17.00	17.00	19.00	19.00
(iii)	discharge exceeding 1.42 but upto 2.83 cumecs	mtr	23.00	23.00	25.00	25.00
(iv)	discharge exceeding 2.83 cumecs	mtr	29.00	29.00	32.00	32.00
(c)	Brick Lined (Light growth)					
(i)	discharge upto 0.283 cumecs	mtr	8.00	8.00	9.00	9.00
(ii)	discharge exceeding 0.283 but upto 1.42 cumecs	mtr	12.00	12.00	13.00	13.00

	(iii)	discharge exceeding 1.42 but upto 2.83 cumecs	mtr	15.00	15.00	17.00	17.00
	(iv)	discharge exceeding 2.83 cumecs	mtr	19.00	19.00	21.00	21.00
(d)	Concrete Lined						
	(i)	discharge upto 0.283 cumecs	mtr	8.00	8.00	9.00	9.00
	(ii)	discharge exceeding 0.283 but upto 1.42 cumecs	mtr	12.00	12.00	13.00	13.00
	(iii)	discharge exceeding 1.42 but upto 2.83 cumecs	mtr	15.00	15.00	17.00	17.00
	(iv)	discharge exceeding 2.83 cumecs	mtr	19.00	19.00	21.00	21.00
Note: 1) Man days are taken as per actual progress accessed by the committee of Engineers constituted by Chief Engineer, Canals. 2) In case of heavy weed, jalla, deela, sarkanda, jungle, butti, dhora, silts etc. growth category, concerned SDO and Executive Engineer will certify after physical verification. 3) In case of medium and light weed, jalla, deela, sarkanda, jungle, butti, dhora, silts etc growth category, concerned SDO will certify after physical verification and concerned Executive Engineer will also certify after satisfying himself. 4) The rate includes the proper disposal of weed, jalla, deela, sarkanda, jungle, butti, dhora, silts etc also. 5) Wherever there is no silt in the bed of the distributary/minor, rates should further be decreased by 40% of that of normal norms of weed, jalla, deela, sarkanda, jungle, butti, dhora etc. with silt. 6) Item no 25.2 and item 6.1 will not be applicable simultaneously in same reach of channel and cross section should clear of weed jalla, deela sarkanda jungle, butti, dhora silt etc in works under either of these items.							

1) ਆਈਟਮ 25.7 ਦੇ ਰੇਟਾਂ ਵਿੱਚ ਵੀ 40% ਘਟੋਤੀ ਕੀਤੀ ਗਈ ਜੇ ਕਿ ਹੇਠ ਅਨੁਸਾਰ ਹੈ –

Sr. No.	Description	Unit	Zone-A		Zone-B	
			Labour Rate	Through Rate	Labour Rate	Through Rate
1	2	3	4	5	6	7
25.7	Clearance of sarkanda, weed, jala, booti etc. from wet drains by machinery having bed width					

	(i)	Upto 20 feet	Sqm	11.00	11.00	12.00	12.00
	(ii)	More than 20 feet	Sqm	13.00	13.00	14.00	14.00

ਉਕਤ ਤਜਵੀਜ ਆਪ ਜੀ ਨੂੰ ਸੂਚਨਾ/ਅਗਲੇਰੀ ਯੋਗ ਕਾਰਵਾਈ ਹਿੱਤ ਭੇਜੀ ਜਾਂਦੀ ਹੈ ਜੀ।

ਨੱਥੀ / ਉਪਰੋਕਤ ਅਨੁਸਾਰ

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ/ਟੈਂਡਰਿੰਗ ਅਤੇ ਕੰਟਰੈਕਟ,
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ/ਨਹਿਰਾਂ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ,
ਚੰਡੀਗੜ੍ਹ।